

**UNITED STATES
SECURITIES AND EXCHANGE COMMISSION**

Washington, D.C. 20549

FORM 25

**NOTIFICATION OF REMOVAL FROM LISTING AND/OR REGISTRATION
UNDER SECTION 12(b) OF THE SECURITIES EXCHANGE ACT OF 1934.**

Commission File Number [001-35569](#)

Issuer: [CHEMBIO DIAGNOSTICS, INC.](#)

Exchange: [Nasdaq Stock Market LLC](#)

(Exact name of Issuer as specified in its charter, and name of Exchange where security is listed and/or registered)

Address: [3661 Horseblock Road](#)
[Medford NEW YORK 11763](#)

Telephone number: [+1 631 924-1135](#)

(Address, including zip code, and telephone number, including area code, of Issuer's principal executive offices)

[Common Stock](#)

(Description of class of securities)

Please place an X in the box to designate the rule provision relied upon to strike the class of securities from listing and registration:

☐ 17 CFR 240.12d2-2(a)(1)

☐ 17 CFR 240.12d2-2(a)(2)

☒ 17 CFR 240.12d2-2(a)(3)

☐ 17 CFR 240.12d2-2(a)(4)

☐ Pursuant to 17 CFR 240.12d2-2(b), the Exchange has complied with its rules to strike the class of securities from listing and/or withdraw registration on the Exchange. ¹

☐ Pursuant to 17 CFR 240.12d2-2(c), the Issuer has complied with its rules of the Exchange and the requirements of 17 CFR 240.12d-2(c) governing the voluntary withdrawal of the class of securities from listing and registration on the Exchange.

Pursuant to the requirements for the Securities Exchange Act of 1934, [Nasdaq Stock Market LLC](#) certifies that it has reasonable grounds to believe that it meets all of the requirements for filing the Form 25 and has caused this notification to be signed on its behalf by the undersigned duly authorized person.

2023-04-27	By	Tara Petta	Vice President
Date		Name	Title

1 Form 25 and attached Notice will be considered compliance with the provisions of 17 CFR 240.19d-1 as applicable. [See](#) General Instructions.

Persons who respond to the collection of information contained in this form are not required to respond unless the form displays a currently valid OMB Number.

